

## Test Hose SMS (for gaseous media Specify Type SGS)

TEST

<p>Max. working pressure 9000 PSI (630 bar)</p> <p>Test hose: Nominal bore 0.08" (2 mm)</p> <p>Minimum bending radius 0.75" (20 mm)</p> <p>Pressure/t° factor:</p> <p>to 0°C 122 % at 30°C 110 % at 50°C 100 % at 80°C 86 % at 100°C 77 %</p> <p>Hose construction: Hose-core and -cover PA</p> <p>Reinforcement: Synthetic fibre</p> <p>Bursting pressure: 27,000 PSI (1900 bar)</p>	<p><b>Stauff-Test 15/15</b></p> <p>STAUFF-TEST 15</p> <p>Ø5</p> <p>M 16 x 1.5</p> <p>STAUFF-TEST 15</p>	<p><b>Stauff-Test 15/20</b></p> <p>STAUFF-TEST 15</p> <p>Ø5</p> <p>M 16</p> <p>STAUFF-TEST 20</p>	<p><b>Stauff-Test 12/15 (2)</b></p> <p>STAUFF-TEST 15</p> <p>Ø5</p> <p>S12.65 x 1.5</p> <p>STAUFF-TEST 12</p>	<p><b>Stauff-Test 15/N 1/4 (3)</b></p> <p>STAUFF-TEST 15</p> <p>Ø5</p> <p>1/4" NPT</p> <p>GAUGE ADAPTOR</p>																																																												
	<p><b>Length L(1) (± .25")</b></p> <table border="1"> <thead> <tr> <th colspan="2"></th> <th colspan="4">Order No.</th> </tr> <tr> <th>in</th> <th>mm</th> <th></th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>12</td> <td>305</td> <td>SMS-15-305mm-B</td> <td>SMS-15/20-305mm-B</td> <td>SMS-12/15-305mm-B</td> <td>SMS-15/N1/4 -305mm-B</td> </tr> <tr> <td>24</td> <td>610</td> <td>SMS-15-610mm-B</td> <td>SMS-15/20-610mm-B</td> <td>SMS-12/15-610mm-B</td> <td>SMS-15/N1/4 -610mm-B</td> </tr> <tr> <td>36</td> <td>915</td> <td>SMS-15-915mm-B</td> <td>SMS-15/20-915mm-B</td> <td>SMS-12/15-915mm-B</td> <td>SMS-15/N1/4 -915mm-B</td> </tr> <tr> <td>48</td> <td>1219</td> <td>SMS-15-1219mm-B</td> <td>SMS-15/20-1219mm-B</td> <td>SMS-12/15-1219mm-B</td> <td>SMS-15/N1/4 -1219mm-B</td> </tr> <tr> <td>60</td> <td>1524</td> <td>SMS-15-1524mm-B</td> <td>SMS-15/20-1524mm-B</td> <td>SMS-12/15-1524mm-B</td> <td>SMS-15/N1/4 -1524mm-B</td> </tr> <tr> <td>72</td> <td>1829</td> <td>SMS-15-1829mm-B</td> <td>SMS-15/20-1829mm-B</td> <td>SMS-12/15-1829mm-B</td> <td>SMS-15/N1/4 -1829mm-B</td> </tr> <tr> <td>96</td> <td>2438</td> <td>SMS-15-2438mm-B</td> <td>SMS-15/20-2438mm-B</td> <td>SMS-12/15-2438mm-B</td> <td>SMS-15/N1/4 -2438mm-B</td> </tr> <tr> <td>120</td> <td>3048</td> <td>SMS-15-3048mm-B</td> <td>SMS-15/20-3048mm-B</td> <td>SMS-12/15-3048mm-B</td> <td>SMS-15/N1/4 -3048mm-B</td> </tr> </tbody> </table>							Order No.				in	mm					12	305	SMS-15-305mm-B	SMS-15/20-305mm-B	SMS-12/15-305mm-B	SMS-15/N1/4 -305mm-B	24	610	SMS-15-610mm-B	SMS-15/20-610mm-B	SMS-12/15-610mm-B	SMS-15/N1/4 -610mm-B	36	915	SMS-15-915mm-B	SMS-15/20-915mm-B	SMS-12/15-915mm-B	SMS-15/N1/4 -915mm-B	48	1219	SMS-15-1219mm-B	SMS-15/20-1219mm-B	SMS-12/15-1219mm-B	SMS-15/N1/4 -1219mm-B	60	1524	SMS-15-1524mm-B	SMS-15/20-1524mm-B	SMS-12/15-1524mm-B	SMS-15/N1/4 -1524mm-B	72	1829	SMS-15-1829mm-B	SMS-15/20-1829mm-B	SMS-12/15-1829mm-B	SMS-15/N1/4 -1829mm-B	96	2438	SMS-15-2438mm-B	SMS-15/20-2438mm-B	SMS-12/15-2438mm-B	SMS-15/N1/4 -2438mm-B	120	3048	SMS-15-3048mm-B	SMS-15/20-3048mm-B	SMS-12/15-3048mm-B
		Order No.																																																														
in	mm																																																															
12	305	SMS-15-305mm-B	SMS-15/20-305mm-B	SMS-12/15-305mm-B	SMS-15/N1/4 -305mm-B																																																											
24	610	SMS-15-610mm-B	SMS-15/20-610mm-B	SMS-12/15-610mm-B	SMS-15/N1/4 -610mm-B																																																											
36	915	SMS-15-915mm-B	SMS-15/20-915mm-B	SMS-12/15-915mm-B	SMS-15/N1/4 -915mm-B																																																											
48	1219	SMS-15-1219mm-B	SMS-15/20-1219mm-B	SMS-12/15-1219mm-B	SMS-15/N1/4 -1219mm-B																																																											
60	1524	SMS-15-1524mm-B	SMS-15/20-1524mm-B	SMS-12/15-1524mm-B	SMS-15/N1/4 -1524mm-B																																																											
72	1829	SMS-15-1829mm-B	SMS-15/20-1829mm-B	SMS-12/15-1829mm-B	SMS-15/N1/4 -1829mm-B																																																											
96	2438	SMS-15-2438mm-B	SMS-15/20-2438mm-B	SMS-12/15-2438mm-B	SMS-15/N1/4 -2438mm-B																																																											
120	3048	SMS-15-3048mm-B	SMS-15/20-3048mm-B	SMS-12/15-3048mm-B	SMS-15/N1/4 -3048mm-B																																																											
<p>Custom lengths available on request</p>																																																																
<p>(1) Bending protection and other lengths on request</p>		<p>(2) Special thread: buttress thread S12,65 x 1,5</p>		<p>(3) Gauge adaptor G1/4, G 1/2 and 1/2 NPT on request</p>																																																												

## Gauge Adaptor SMA

	<p><b>G</b></p>	<p><b>h</b></p>	<p><b>SW</b></p>	<p><b>Order No.</b> (Add C6FB for Standard Finish)</p>	
				<p>mm</p>	<p>in</p>
	G 1/4	54 2.13	19 0.75	SMA 15 - G 1/4 - P-OR	SMA 15 - G 1/4 - V-OR
	G 1/2	64 2.52	27 1.06	SMA 15 - G 1/2 - P-OR	SMA 15 - G 1/2 - V-OR
	1/4 NPT	54 2.13	19 0.75	SMA 15 - 1/4 NPT-P	SMA 15 - 1/4 NPT-V
	1/2 NPT	64 2.52	27 1.06	SMA 15 - 1/2 NPT-P	SMA 15 - 1/2 NPT-V
<p>Snubber on request</p>					