

Test Hose SMS (for gaseous media Specify Type SGS)

TEST

<p>Max. working pressure 9000 PSI (630 bar)</p> <p>Test hose: Nominal bore 0.08" (2 mm)</p> <p>Minimum bending radius 0.75" (20 mm)</p> <p>Pressure/t° factor:</p> <table border="0"> <tr><td>to 0°C</td><td>122 %</td></tr> <tr><td>at 30°C</td><td>110 %</td></tr> <tr><td>at 50°C</td><td>100 %</td></tr> <tr><td>at 80°C</td><td>86 %</td></tr> <tr><td>at 100°C</td><td>77 %</td></tr> </table> <p>Hose construction: Hose-core and -cover PA</p> <p>Reinforcement: Synthetic fibre</p> <p>Bursting pressure: 27,000 PSI (1900 bar)</p>	to 0°C	122 %	at 30°C	110 %	at 50°C	100 %	at 80°C	86 %	at 100°C	77 %	<p>Stauff-Test 15/15</p> <p>Ø5</p> <p>M 16 x 1.5</p> <p>STAUFF-TEST 15</p>	<p>Stauff-Test 15/20</p> <p>Ø5</p> <p>M 16</p> <p>STAUFF-TEST 20</p>	<p>Stauff-Test 12/15⁽²⁾</p> <p>Ø5</p> <p>S12.65 x 1.5</p> <p>STAUFF-TEST 12</p>	<p>Stauff-Test 15/N 1/4⁽³⁾</p> <p>Ø5</p> <p>1/4" NPT</p> <p>GAUGE ADAPTOR</p>																																												
	to 0°C	122 %																																																								
at 30°C	110 %																																																									
at 50°C	100 %																																																									
at 80°C	86 %																																																									
at 100°C	77 %																																																									
<p>Length L⁽¹⁾</p> <table border="1"> <thead> <tr> <th>in</th> <th>mm</th> <th colspan="4">Order No.</th> </tr> </thead> <tbody> <tr><td>12</td><td>305</td><td>SMS-15-305mm-B</td><td>SMS-15/20-305mm-B</td><td>SMS-12/15-305mm-B</td><td>SMS-15/N 1/4-305mm-B</td></tr> <tr><td>24</td><td>610</td><td>SMS-15-610mm-B</td><td>SMS-15/20-610mm-B</td><td>SMS-12/15-610mm-B</td><td>SMS-15/N 1/4-610mm-B</td></tr> <tr><td>36</td><td>915</td><td>SMS-15-915mm-B</td><td>SMS-15/20-915mm-B</td><td>SMS-12/15-915mm-B</td><td>SMS-15/N 1/4-915mm-B</td></tr> <tr><td>48</td><td>1219</td><td>SMS-15-1219mm-B</td><td>SMS-15/20-1219mm-B</td><td>SMS-12/15-1219mm-B</td><td>SMS-15/N 1/4-1219mm-B</td></tr> <tr><td>60</td><td>1524</td><td>SMS-15-1524mm-B</td><td>SMS-15/20-1524mm-B</td><td>SMS-12/15-1524mm-B</td><td>SMS-15/N 1/4-1524mm-B</td></tr> <tr><td>72</td><td>1829</td><td>SMS-15-1829mm-B</td><td>SMS-15/20-1829mm-B</td><td>SMS-12/15-1829mm-B</td><td>SMS-15/N 1/4-1829mm-B</td></tr> <tr><td>96</td><td>2438</td><td>SMS-15-2438mm-B</td><td>SMS-15/20-2438mm-B</td><td>SMS-12/15-2438mm-B</td><td>SMS-15/N 1/4-2438mm-B</td></tr> <tr><td>120</td><td>3048</td><td>SMS-15-3048mm-B</td><td>SMS-15/20-3048mm-B</td><td>SMS-12/15-3048mm-B</td><td>SMS-15/N 1/4-3048mm-B</td></tr> </tbody> </table>	in	mm	Order No.				12	305	SMS-15-305mm-B	SMS-15/20-305mm-B	SMS-12/15-305mm-B	SMS-15/N 1/4-305mm-B	24	610	SMS-15-610mm-B	SMS-15/20-610mm-B	SMS-12/15-610mm-B	SMS-15/N 1/4-610mm-B	36	915	SMS-15-915mm-B	SMS-15/20-915mm-B	SMS-12/15-915mm-B	SMS-15/N 1/4-915mm-B	48	1219	SMS-15-1219mm-B	SMS-15/20-1219mm-B	SMS-12/15-1219mm-B	SMS-15/N 1/4-1219mm-B	60	1524	SMS-15-1524mm-B	SMS-15/20-1524mm-B	SMS-12/15-1524mm-B	SMS-15/N 1/4-1524mm-B	72	1829	SMS-15-1829mm-B	SMS-15/20-1829mm-B	SMS-12/15-1829mm-B	SMS-15/N 1/4-1829mm-B	96	2438	SMS-15-2438mm-B	SMS-15/20-2438mm-B	SMS-12/15-2438mm-B	SMS-15/N 1/4-2438mm-B	120	3048	SMS-15-3048mm-B	SMS-15/20-3048mm-B	SMS-12/15-3048mm-B	SMS-15/N 1/4-3048mm-B	<p>Custom lengths available on request</p> <p>(1) Bending protection and other lengths on request</p> <p>(2) Special thread: buttress thread S12,65 x 1,5</p> <p>(3) Gauge adaptor G 1/4, G 1/2 and 1/2 NPT on request</p>			
in	mm	Order No.																																																								
12	305	SMS-15-305mm-B	SMS-15/20-305mm-B	SMS-12/15-305mm-B	SMS-15/N 1/4-305mm-B																																																					
24	610	SMS-15-610mm-B	SMS-15/20-610mm-B	SMS-12/15-610mm-B	SMS-15/N 1/4-610mm-B																																																					
36	915	SMS-15-915mm-B	SMS-15/20-915mm-B	SMS-12/15-915mm-B	SMS-15/N 1/4-915mm-B																																																					
48	1219	SMS-15-1219mm-B	SMS-15/20-1219mm-B	SMS-12/15-1219mm-B	SMS-15/N 1/4-1219mm-B																																																					
60	1524	SMS-15-1524mm-B	SMS-15/20-1524mm-B	SMS-12/15-1524mm-B	SMS-15/N 1/4-1524mm-B																																																					
72	1829	SMS-15-1829mm-B	SMS-15/20-1829mm-B	SMS-12/15-1829mm-B	SMS-15/N 1/4-1829mm-B																																																					
96	2438	SMS-15-2438mm-B	SMS-15/20-2438mm-B	SMS-12/15-2438mm-B	SMS-15/N 1/4-2438mm-B																																																					
120	3048	SMS-15-3048mm-B	SMS-15/20-3048mm-B	SMS-12/15-3048mm-B	SMS-15/N 1/4-3048mm-B																																																					

Gauge Adaptor SMA

<p>max. 12 (1/2")</p> <p>SW19</p> <p>M 16 x 1.5</p> <p>Through-hole Ø 18 mm</p>	<p>G</p>	<p>h</p> <table border="1"> <tr><th>mm</th><th>in</th></tr> <tr><td>54</td><td>2.13</td></tr> <tr><td>64</td><td>2.52</td></tr> </table>	mm	in	54	2.13	64	2.52	<p>SW</p> <table border="1"> <tr><th>mm</th><th>in</th></tr> <tr><td>19</td><td>0.75</td></tr> <tr><td>27</td><td>1.06</td></tr> </table>	mm	in	19	0.75	27	1.06	<p>Order No.</p> <table border="1"> <thead> <tr> <th>NBR (BUNA)</th> <th>FPM (VITON) (Standard)</th> </tr> </thead> <tbody> <tr> <td>SMA 15 - G 1/4 - P-OR</td> <td>SMA 15 - G 1/4 - V-OR</td> </tr> <tr> <td>SMA 15 - G 1/2 - P-OR</td> <td>SMA 15 - G 1/2 - V-OR</td> </tr> <tr> <td>SMA 15 - 1/4 NPT-P</td> <td>SMA 15 - 1/4 NPT-V</td> </tr> <tr> <td>SMA 15 - 1/2 NPT-P</td> <td>SMA 15 - 1/2 NPT-V</td> </tr> </tbody> </table>		NBR (BUNA)	FPM (VITON) (Standard)	SMA 15 - G 1/4 - P-OR	SMA 15 - G 1/4 - V-OR	SMA 15 - G 1/2 - P-OR	SMA 15 - G 1/2 - V-OR	SMA 15 - 1/4 NPT-P	SMA 15 - 1/4 NPT-V	SMA 15 - 1/2 NPT-P	SMA 15 - 1/2 NPT-V
		mm	in																								
54	2.13																										
64	2.52																										
mm	in																										
19	0.75																										
27	1.06																										
NBR (BUNA)	FPM (VITON) (Standard)																										
SMA 15 - G 1/4 - P-OR	SMA 15 - G 1/4 - V-OR																										
SMA 15 - G 1/2 - P-OR	SMA 15 - G 1/2 - V-OR																										
SMA 15 - 1/4 NPT-P	SMA 15 - 1/4 NPT-V																										
SMA 15 - 1/2 NPT-P	SMA 15 - 1/2 NPT-V																										
<p>Damping element on request</p>																											